


LIGHT

tulux



SWISS LIGHT CREATIONS




EQUIP



EQUIP – five convincing reasons.

1. Precise light control
2. Subtle lighting
3. Good integration into rooms
4. Wide range of reflectors and design options
5. Recessed, surface-mounted and pendant versions



EQUIP – five convincing reasons.

DESIGN


- Darklight effect
- The recessed reflector directs the light precisely onto surfaces and objects
- Standardised, simple appearance across all variants
- Glass set back in the middle of the luminaire protects the ingenious lighting technology



EQUIP – five convincing reasons.

REFLECTOR DESIGN

- Reflector designs can be chosen freely and changed at any time
- Perfect adaptation to the interior design thanks to combination options
- Corrugated reflector gives a wavy reflection of the surroundings and takes on the colours of the room



EQUIP – five convincing reasons.

OVERVIEW RECESSED VARIANT

- Luminaire is concealed and looks like a recess in the ceiling
- Highly reflective segment reflector
- Aluminium or plastic anti-glare reflector
- With highly transparent anti-reflective closing glass
- With a choice of narrow, medium or wide-angled beams
- Optimum glare control up to UGR < 16
- Luminous fluxes from 1200 to 4500 lm

Luminaires with corrugated reflectors




Large luminaire, Ø 168 mm



Small luminaire, Ø 130 mm

Luminaires with smooth reflectors



Matt gloss reflector




Flush reflector, high gloss finish

Luminaires with corrugated reflectors



Corrugated reflector, silver



Flush reflector, corrugated, bronze



	Ø 130 mm	Ø 168 mm	Ø 165 mm	Ø 165 mm
Light colour				
3000 K / CRI > 90	•	•	•	•
4000 K / CRI > 90	•	•	•	•
Beam pattern				
Direct	•	•	•	•
Asymmetrical			•	
Appearance				
Silver-coated reflector	•	•	•	•
Anti-glare reflector				
White	•	•		
Matt gloss			•	
High gloss			•	
Bronze				•
Silve				•
Installation type				
Recessed luminaire	•	•	•	•
Recessed luminaire, flush (Ø 160 mm)			•	•
Protection class				
IP40 on ceiling side	•	•	•	•
IP54 on room side	•	•	•	•

EQUIP – five convincing reasons.

OVERVIEW CEILING-MOUNTED AND PENDANT VARIANTS


- Highly reflective segment reflector
- Aluminium or plastic anti-glare reflector
- With highly transparent anti-reflective closing glass
- With a choice of narrow, medium or wide-angled beams
- Optimum glare control up to UGR < 16
- Luminous fluxes from 1000 to 4200 lm
- All variants also available for pendant mounting



Large luminaire, Ø 170 mm

Small luminaire, Ø 130 mm

Luminaires with smooth reflectors



Matt gloss reflector

Flush reflector, high gloss finish

Luminaires with corrugated reflectors



Corrugated reflector, silver

Flush reflector, corrugated, bronze



TULUX AG
TÖDISTRASSE 4
CH-8856 TUGGEN
T +41 55 465 60 00
F +41 55 465 60 01
INFO@TULUX.CH

WWW.TULUX.CH



SLG 
member

02/25